# SAFETY DATA SHEET 58371001

Revision Date 7-August-2015



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **COMPANY/UNDERTAKING**

Product identifier

**Product Name** =i a ]bU'Yellow ToneržD#B'&\$\$!%\$\$&&(

Other means of identification

Issuing Date 23-March-2015

**Synonyms** None

Recommended use of the chemical and restrictions on use

Recommended Use Dry powder colorant to form an image on sheet of paper or other substrate.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Xanté Corporation

**Supplier Address** 2800 Dauphin St., Suite 100

> Mobile AL

36606-2400

**Supplier Phone Number** Phone: 1-251-473-6502

Fax: 1-251-473-6503

Supplier K YVg]hY www.xante.com

Emergency telephone number Chem-Tel Inc. Toll Free North America 1-888-255-3924 Intl +01 813-248-0573

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word None

**Hazard Statements** 

None



Appearance Yellow Physical State Powder(s) Solid Odor Very slight

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

84% of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Titanium Dioxide is classified by the IARC as a Group 2B Carcinogen (possible human carcinogen) by inhalation. The IARC also stated that no significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints. The formulation of the toner has Titanium Dioxide in a bounded state so it does not present a carcinogenic risk.

#### Interactions with Other Chemicals

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Third Party Formulation (TP # 1185548)	Proprietary	5 - 10	*
Third Party Formulation (TP # 1185548)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1185548)	Proprietary	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

### First aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

**Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

**Skin Contact** Wash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.



### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

Exposure to excessive amounts of dust may cause physical irriatation to

**Effects** 

respiratory tract.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### **Specific Hazards Arising from the Chemical**

No information available.

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.



#### Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

Incompatible Products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1185548)	TWA: 2 mg/m³ fume	(vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³ fume
Third Party Formulation (TP # 1185548)	-	TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Third Party Formulation (TP # 1185548)	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** No special protective equipment required.

**Skin and Body Protection** Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical State Powder(s) Solid

AppearanceYellowOdorVery slight

Color No information available Odor Threshold No information available

Property Values Remarks/ Method

pHNo data availableNone knownMelting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash PointNo data availableNone known



Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air

Upper flammability limit

Lower flammability limit

No data available
No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** 1.2 g/cm<sup>3</sup> None known None known **Water Solubility** Negligible None known Solubility in other solvents No data available Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** >200 °C (392 °F) None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Explosive properties No data available Oxidizing Properties No data available

**Other Information** 

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

### **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye Contact** Specific test data for the substance or mixture is not available.



**Skin Contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1185548)	> 3750 mg/kg(Rat)	> 3600 mg/kg(Rabbit)	-
Third Party Formulation (TP # 1185548)	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L (Rat)1 h
Third Party Formulation (TP # 1185548)	> 10000 mg/kg ( Rat )	-	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects Ames Test (Salmonella typhimurium, Escherichia coli): Negative

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1185548)		Group 3		
Third Party Formulation (TP # 1185548)		Group 2B		Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

**STOT - repeated exposure**No information available.

Chronic Toxicity Contains a known or suspected carcinogen. The IARC reevaluated Titanium Dioxide (TiO2)

as a Group 2B carcinogen (possible human carcinogen) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed lower in the user industries, with the possible exception of workers who handle

large quantities of titanium dioxide.

No significant exposure to titanium dioxide is thought to occur during the use of products in

which titanium dioxide is bound to other materials, such as in paints.

**Target Organ Effects** Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lungs.

**Aspiration Hazard** No information available.



#### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP	72h EC50: = 440 mg/L	96h LC50: = 5000 mg/L		48h EC50: = 7600 mg/L
# 1185548)	(Pseudokirchneriella	(Brachydanio rerio)		
	subcapitata)			

### **Persistence and Degradability**

No information available.

#### Bioaccumulation

No information available

#### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal methods**This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 352

This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A



IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardYesFire HazardNoSudden release of pressure hazardNoReactive HazardNo

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

#### **US State Regulations**

### **California Proposition 65**

Not Regulated due to chemicals being bound in a resin matrix.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1185548)		X	Χ		
Third Party Formulation (TP # 1185548)		Х	Χ		
Third Party Formulation (TP # 1185548)	Х	Х	Х		

# **International Regulations**

#### Mexico

National occupational exposure limits



Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1185548)		Mexico: TWA= 2 mg/m <sup>3</sup>
(5 - 10)		Mexico: STEL= 6 mg/m <sup>3</sup>
Third Party Formulation (TP # 1185548)		Mexico: TWA= 10 mg/m <sup>3</sup>
(1-5)		Mexico: STEL= 20 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### **WHMIS Hazard Class**

Non-controlled by definition of manufactured article

# **16. OTHER INFORMATION**

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazards 1\* Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By Xanté Corporation

2800 Dauphin St., Suite 100 Mobile, AL 36606-2400 Tel:(251) 473-6502 Fax:(251) 473-6503 www.xante.com

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

