

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

<b>PRODUCT NAME:</b> Mitsubishi SLM-OH III Etching Solution		<b>DATE:</b> December 16, 2008	
<b>PRODUCT NUMBER:</b>		<b>DATE:</b> December 16, 2008	
TRADE NAME: Mitsubishi SLM-OH III Etching Solution GENERAL USE: Starter solution for SLM CHEMICAL FAMILY: PRODUCT DESCRIPTION: Colorless liquid, odorless.			
<b>MANUFACTURER</b> Mitsubishi Imaging (MPM), Inc.		DATE PREPARED: December 16, 2008	
ADDRESS (NUMBER, STREET, P.O. BOX) 555 Theodore Fremd Avenue		SUPERSEDES: August 14, 2007	
(CITY, STATE AND ZIP CODE) Rye, NY 10580		TELEPHONE NUMBER FOR INFORMATION / Customer Service (914) 925-3200	
COUNTRY USA		<b>Chemtrec 24-HOUR EMERGENCY TELEPHONE NUMBER</b>	
		1-800-424-9300                      01-703-527-3887 North America Toll Free                      International	

## SECTION 2 - HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
<b>Dipropylene Glycol</b>	1 - 5	25265-71-8	246-770-3	NC	Not Classified
<b>Sodium Phosphate Monobasic</b>	1 - 5	7558-80-7	231-449-2	NC	Not Classified

**NOTES:** Note: This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 91/155/EEC. Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European (GHS) directive 91/155/EEC and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directive 67/548/EEC.

## SECTION 3 - HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

Slightly acidic liquid, contact may cause skin & eye irritation. Ingestion may cause gastric distress.  
 Hazard symbols for this product - **None**, Risk Phrases - **Not classified**

### POTENTIAL HEALTH EFFECTS

#### INHALATION:

Inhalation of mists or vapors may cause irritation to upper respiratory tract and mucous membranes.

#### SKIN:

Contact with skin may cause irritation, dermatitis.

#### EYES:

Contact with eyes may cause pain and irritation.

#### INGESTION:

May be irritating to digestive tract; may cause gastric distress, stomach pains.

#### CARCINOGENICITY:

NTP? <b>NO</b>	IARC MONOGRAPHS? <b>NO</b>	OSHA REGULATED? <b>NO</b>
CALIFORNIA, Prop.65? <b>NO</b>		ESIS NOTATION? <b>NO</b>

## SECTION 4 - FIRST AID MEASURES

#### INHALATION:

Remove affected person to fresh air; if symptoms persist seek medical attention.

#### EYES:

Remove contact lenses. Flush eyes with water for 15 minutes; if irritation persists, seek medical attention.

#### SKIN:

Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

#### INGESTION:

Give two glasses of water for dilution; DO NOT induce vomiting; never give anything by mouth to an unconscious person; seek medical attention.

# MATERIAL SAFETY DATA SHEET

**PRODUCT NAME:** Mitsubishi SLM-OH III Etching Solution  
**PRODUCT NUMBER:** \_\_\_\_\_ **DATE:** December 16, 2008

## SECTION 5 - FIRE FIGHTING MEASURES

**GENERAL HAZARDS:**

Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including Carbon Monoxide.

**EXTINGUISHING MEDIA:**

Carbon Dioxide, water, water fog, dry chemical, chemical foam.

**FIRE FIGHTING PROCEDURES:**

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

None

**HAZARDOUS COMBUSTION PRODUCTS:**

Smoke, fumes, oxides of carbon.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

Small spills - wash to sanitary sewer with plenty of water. Large spills - soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water.

## SECTION 7 - HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:**

Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH		OSHA	
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Dipropylene Glycol		NE				NE		
Sodium Phosphate Monobasic		NE				NE		

### PERSONAL PROTECTION

**RESPIRATORY PROTECTION:**

None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds standard workplace limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

**PROTECTIVE GLOVES:**

Neoprene or rubber gloves with cuffs.

**EYE PROTECTION:**

Protective eyeglasses or chemical safety goggles. Refer to 29 CFR 1910.133 or European Standard EN166.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:**

Coveralls, apron, or other equipment should be worn to minimize skin contact.

**WORK / HYGIENIC PRACTICES:**

Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE AND ODOR</b> Colorless liquid, odorless.	<b>VAPOR PRESSURE</b> 17 mm Hg @ 20° C
pH 6.0 - 6.1	<b>SPECIFIC GRAVITY (WATER = 1)</b> 1.010 ± 0.005
<b>BOILING POINT / BOILING RANGE</b> 212° F (100° C)	<b>SOLUBILITY IN WATER</b> Complete
<b>FLASH POINT</b> Non-Flammable	<b>VISCOSITY</b> Not Specified
<b>FLAMMABLE LIMITS</b> LEL: NA UEL: NA	<b>VAPOR DENSITY (AIR = 1)</b> > 1
<b>AUTO-IGNITION TEMPERATURE</b> ND	<b>EVAPORATION RATE (WATER = 1)</b> < 1

**VOLATILE ORGANIC COMPOUND (VOC) INFORMATION**

**There are no known Volatile Organic Compounds (VOCs) in this product.**

# MATERIAL SAFETY DATA SHEET

**PRODUCT NAME:** Mitsubishi SLM-OH III Etching Solution  
**PRODUCT NUMBER:** \_\_\_\_\_ **DATE:** December 16, 2008

## SECTION 10 - STABILITY AND REACTIVITY

STABILITY	STABLE	X	CONDITIONS TO AVOID: Extreme temperatures, keep from freezing.
-----------	--------	---	---

INCOMPATIBILITY (MATERIALS TO AVOID):  
**Strong oxidizers, strong acids.**

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:  
**Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.**

HAZARDOUS POLYMERIZATION: <b>Will Not Occur.</b>	CONDITIONS TO AVOID: <b>None Related to Polymerization.</b>
---	--

## SECTION 11 - TOXICOLOGICAL INFORMATION

Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
<b>Dipropylene Glycol</b>	<b>25265-71-8</b>	<b>14,800 mg / kg Oral - Rat</b>	<b>NE</b>
	<b>246-770-3</b>		
<b>Sodium Phosphate Monobasic</b>	<b>7558-80-7</b>	<b>8290 mg / kg Oral - Rat</b>	<b>NE</b>
	<b>231-449-2</b>		

Do not allow undiluted and/or large quantities of product to enter sewage systems or reach ground water or bodies of water.

## SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

## SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:  
 According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used. Dispose of in accordance with Local, State, and Federal Regulations. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

## SECTION 14 - TRANSPORT INFORMATION

<b>PROPER SHIPPING NAME:</b> Not Regulated	
DOT HAZARD CLASS / Pack Group: <b>Not Regulated</b>	IATA HAZARD CLASS / Pack Group: <b>Not Regulated</b>
REFERENCE: <b>NA</b>	IMDG HAZARD CLASS: <b>Not Regulated</b>
UN / NA IDENTIFICATION NUMBER: <b>None</b>	RID/ADR Dangerous Goods Code: <b>Not Regulated</b>
LABEL: <b>None Required</b>	UN TDG Class / Pack Group: <b>Not Regulated</b>
HAZARD SYMBOLS: <b>None</b>	Hazard Identification Number (HIN): <b>None</b>

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

# MATERIAL SAFETY DATA SHEET

**PRODUCT NAME:** Mitsubishi SLM-OH III Etching Solution  
**PRODUCT NUMBER:** \_\_\_\_\_ **DATE:** December 16, 2008

## SECTION 15 - REGULATORY INFORMATION

**TSCA (USA - Toxic Substance Control Act):** All components of this product are listed.  
**SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):** None  
 Acute Health: **NO** Chronic Health: **NO**  
 Fire: **NO** Sudden Release of Pressure: **NO**  
 Reactive: **NO**

**SARA 313 REPORTABLE INGREDIENTS:** None  
**CERCLA (USA - Comprehensive Response Compensation and Liability Act):** None  
**California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986:** No  
**CPR (Canadian Controlled Products Regulations):** WHMIS Classification: D2B  
**IDL (Canadian Ingredient Disclosure List):** Listed.  
**DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List):**  
**Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations.**  
**EINECS (European Inventory of Existing Commercial Chemical Substances):** Referenced.

**WGK Water Quality Index:** 1 **VbK Index:** NA

RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:
Not Classified	None	S2 : Keep out of the reach of children. S24/25 : Avoid contact with skin and eyes.

## SECTION 16 - OTHER INFORMATION

**Legend:**

- ACGIH - American Congress of Government Industrial Hygienists**
- CAS - Chemical Abstracts Service**
- EINECS - European Inventory of Existing Commercial Chemical Substances**
- HMIS - Hazardous Materials Identification System**
- IARC - International Agency for Research on Cancer**
- NA - Not Available**
- ND - Not Determined**
- NE - Not Established**
- NR - Not Reported**
- NIOSH - National Institute for Occupational Safety and Health**
- NTP - National Toxicology Program**
- OSHA - Occupational Safety and Health Administration**

HMIS HAZARD RATINGS	HEALTH: FLAMMABILITY: PHYSICAL HAZARD: PERSONAL PROTECTIVE EQUIPMENT:		0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME
		1 0 0 C	

**REVISION SUMMARY:**  
 Revised to GHS/E.U. protocols 12/16/2008 supersedes 8/14/2007 issue.

**MSDS Prepared by:**  
 ChemTel Inc.  
 1305 North Florida Avenue  
 Tampa, Florida USA 33602-2902  
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0585  
 Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.