




SECTION 1 PRODUCT IDENTIFICATION AND USE

PRODUCT IDENTIFIER : PRESSLINE EXTRACT. (Cleaner/deglazer for lithographic press rollers)			<p>0-minimal, 1-slight, 2-moderate, 3-serious, 4-severe</p> <p>HEALTH HAZARD: 1 FIRE HAZARD: 1 REACTIVITY: 0 PROTECTIVE EQUIPMENT: C</p>    <p>Safety Glasses Gloves Protective Apron</p> <p>DO NOT BREATHE VAPORS. DO NOT GET IN EYES, SKIN. DO NOT GET ON CLOTHING. DO NOT INGEST</p>
SUPPLIERS NAME: KELLY PAPER.			
STREET ADDRESS 288 BREA CANYON ROAD, CITY OF INDUSTRY CA 91789			
OFFICE TELEPHONE: 909-859-8200	FAX: 909-859-8903	24 HR. EMERGENCY TELEPHONE 800-424-9300 CHEMTREC	
THIS IS AN INDUSTRIAL CHEMICAL PRODUCT. ALL INDUSTRIAL CHEMICAL PRODUCTS POSE AN INHERENT HEALTH RISK. BEFORE USE ALWAYS READ COMPLETE LABEL AND MSDS FOR SAFE HANDLING PROCEDURES			

SECTION 2 – INGREDIENT INFORMATION

INGREDIENTS <i>*These ingredients are subject to the reporting requirements of SARA 313 and 40 CFR 372</i>	%	CAS NUMBER	HAZARD DATA
Linseed oil	>50	8001-26-1	Identified on Pennsylvania and Canadian Hazardous Substances List
Silicon Dioxide	10	7631-86-9	Not established

ALL INGREDIENTS ARE LISTED IN THE US TOXIC SUBSTANCE CONTROL ACT (TSCA)

SECTION 3 - PHYSICAL DATA

PHYSICAL STATE Paste	ODOR AND APPEARANCE Brown Paste, negligible odor	WATER SOLUBILITY Negligible	PH Not Applicable	SPECIFIC GRAVITY 1.0
VAPOR PRESSURE (MM Hg) Negligible	VAPOR DENSITY (AIR=1) >1	EVAPORATION RATE (Butyl acetate = 1) <1	BOILING POINT (°F) Not applicable	V.O.C.'s 0 % by Mass 0 lb per Gallon (0 g/l)

SECTION 4 - FIRE AND EXPLOSION DATA

FLAMMABILITY YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	IF YES, UNDER WHICH CONDITIONS? * Not applicable		
EXTINGUISHING MEDIA Not applicable	SPECIAL FIRE FIGHTING PROCEDURES: Use self contained breathing apparatus if needed.		
FLASHPOINT (°F) AND METHOD None by TCC	UPPER FLAMMABLE LIMIT (% BY VOLUME) : Unknown	LOWER FLAMMABLE LIMIT (% BY VOLUME): Unknown	
AUTOIGNITION TEMPERATURE (°C) Not known	HAZARDOUS COMBUSTION PRODUCTS Oxides of carbon .		
EXPLOSION DATA * NOT KNOWN	SENSITIVITY TO IMPACT NO	SENSITIVITY TO STATIC DISCHARGE NO	

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERISATION None
INCOMPATIBILITY WITH OTHER SUBSTANCES None known	
HAZARDOUS DECOMPOSITION PRODUCTS: In contact with open flame or incandescent material will liberate carbon dioxide, carbon monoxide	This product is not photochemically reactive

PRODUCT IDENTIFIER * **PRESSLINE EXTRACT**

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY

SKIN CONTACT SKIN ABSORPTION EYE CONTACT INHALATION INGESTION

ACUTE EXPOSURE TO PRODUCT: Inhalation – Very low vapor pressure, negligible hazard Eye - Will cause irritation, burning, redness and tearing. Skin - Can cause irritation, on prolonged contact. Ingestion causes irritation of the digestive tract.

CHRONIC EXPOSURE TO PRODUCT: Prolonged skin contact may aggravate an existing dermatitis.

CARCINOGENICITY: No ingredient present at greater than 0.1 % is identified as a carcinogen by OSHA, IARC or NTP

TARGET ORGAN EFFECTS: Eye, skin irritant

EMERGENCY FIRST AID PROCEDURES:

EYES: Flush with running water for at least 15 minutes. Seek medical attention.

SKIN: wash affected area with soap and water. Remove contaminated clothing and launder before re-use.

INHALATION: Remove victim to fresh air. Administer oxygen and/or artificial respiration if breathing difficulties occur. Seek medical attention.

INGESTION: Do not induce vomiting. Dilute by drinking water and seek immediate medical attention.

SECTION 7 - PREVENTATIVE MEASURES

GLOVES

Nitrile for incidental, non-immersion contact.

RESPIRATOR: Use NIOSH approved SCBA in emergency situations or confined areas.

EYE (SPECIFY)

Splash proof goggles or face shield

CLOTHING : Boots, aprons , or chemical suits should be used when necessary to prevent skin contact.

ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS) : No special requirements

LEAK AND SPILL PROCEDURE: Contain spill. Take precautions to prevent contamination of ground and surface waters. Recover spilled material using absorbent material such as vermiculite and sweep into closed containers for disposal.

WASTE DISPOSAL: Contaminated vermiculite or porous surface must be disposed of in a permitted waste facility. Recovered liquids may be reprocessed or incinerated in a permitted waste facility. In all cases material should be disposed of in accordance with all applicable regulations.

HANDLING PROCEDURES AND EQUIPMENT: Keep container closed when not in use. Store only in closed, properly labeled containers. Store in a cool, dry, well ventilated area. Treat empty containers as containing hazardous residues. Do not leave rags contaminated with material tightly balled up as spontaneous combustion may occur.

SECTION 8 - ADDITIONAL INFORMATION

CALIFORNIA PROPOSITION 65: *This regulation does not address “de minimis” levels. Therefore even trace amounts of chemicals on these lists must be identified. Trace quantities refer low levels of materials whose exact concentrations may not always be determined because of their minuteness.*

This product contains the following chemicals known by the state of California to cause cancer: ethylene oxide, acetaldehyde, formaldehyde. This product contains the following chemicals known by the state of California to cause reproductive harm : ethylene oxide

SHIPPING INFORMATION: Not regulated for shipping purposes

SECTION 9 – PREPARATION AND DATE OF MSDS

PREPARED BY (GROUP DEPARTMENT, ETC.)
APC TECHNICAL SERVICES DEPARTMENT

PHONE NUMBER
1-800-327-8487

DATE
Sept 2010

The above information is believed to be correct as of the date hereof and is based on data supplied by raw material suppliers, however, no warranty of merchantability, fitness for use, or any other warranty is expressed or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with each use. Since the information contained herein may be applied under conditions beyond our control and with which we are unfamiliar, and since the data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its' use. This information is furnished on the condition that the person receiving it shall make his own determination as to the suitability of the material for his particular purpose and on the condition that he assume risk of his use thereof.