

Unipak Ready Mixed Gold Material Safety Data Sheet

Date 11/30/2006

	H	M	エ	S	
Minimal Slight Moderate	0	Ratings Serious Severe	3 4	Health Flammability Reactivity	1 1 0

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

DISTRIBUTOR: Van Son Holland Ink Corporation of

America

185 Oval Drive Islandia, NY 11749

Emergency Telephone: 631-715-7000

Product Class: Of fset Ink Metallic

Trade Name: Unipak Ready Mixed Gold

MANUFACTURER:

W olstenholme Bronze Powders, Ltd.

P O Box 14, Lancashire BB3 ORX England Chemtrec 24 Hour Emergency No-800-424-9300 Manufacturer s Code ID: VS280, VS871-876

2. INGREDIENT COMPOSITION INFORMATION

Ingredient	CASNo.	WT%	OSHA (PEL)	ACGIH (TLV)	Carcinogen
Heavy Petroleum Aliphatic Naphtha	64742-96-7	10-20	5mg/M3	N/A	No
Light Petroleum Distillate	64741-91-9	10-20	5mg/M3	N/A	No
Copper	7440-50-8	31-41	N/A	10mg/M3	No
				(/as dust)	
Zinc	7440-66-8	4-14	N/A	10mg/M3	No
				(/as dust)	
1			1	I	1

3. HAZARDS IDENTIFICATION

4. FIRST AID MEASURES

	EFFECTS OF OVEREXPOSURE
Eye Contact	Direct contact may cause irritation.
Skin Contact	
Inhalation	Excess inhalation of mist or vapor may cause dizziness, nausea or irritation
	of nasal and respiratory passages.
Ingestion	
Medical Conditions aggravated	by normal exposure: Persons with dermatitis should avoid skin contact.
Target Organs:	
Primary Routes of entry	Eyes, inhalation, dermal.
	EMERGENCY FIRST AID PROCEDURES
Eye Contact	
	Einitation persists, contact a physician.
Skin Contact:	
	thoroughly before reusing.
Ingestion	
Inhalation	

5. FIRE FIGHTING MEASURES

Flash Point
Explosion LimitsLEL: N/A UEL: N/A
Extinguishing MediaFoam, carbon dioxide, dry chemical. Water spray may be
applied to cool exposed closed containers.
Unusual Fire and Explosion HazardsDense smoke may be generated when burning. Carbon
Monoxide and Carbon Dioxide generated as combustion products
Special Fire Fighting ProceduresSelf-contained breathing apparatus recommended.

6. ACCIDENTAL RELEASE MEASURES

Procedure when material spilled or released: W ipe up. Dispose of wipes in approved waste containers.

If petroleum hydrocarbon is used, provide sufficient vertilation.

W aste Disposal Method: Dispose of in accordance with Federal, State and Local regulations.

7. HANDLING AND STORAGE

Handling: Avoid storage above 90 F. Keep containers closed when not in use.

Other Precautions: None required.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Use sufficient ventilation. Eye Protection: Goggles recommended.

Protective Gloves: Gloves recommended. Other Protection: None required.

Respiratory Protection: None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Volatile Organic Compounds: (VOCs) 1.50-1.700 lbs./gallon 180-200 Grams/liter Method 24

Boiling Range °F:> 492-592 Freezing Point °F: N/A

Vapor Density vs. Air: Heavier Vapor Pressure: less than 0.04psi

Density: 10.9 lbs./gallon ASTM D1475 Specific Gravity: 1.30

Type of Odor: Mild Petroleum Odor Threshold: High Appearance: Metallic opld paste. Odor Threshold: High ph: N/A

Evaporation Rate vs. Butyl Acetate: Slower Coefficient of Water/oil Distribution: N/A

Percentage Volatile By Weight: 10-20% ASTM D2369

10. STABILITY AND REACTIVITY

Product Stability: Stable

Conditions to Avoid: Strong oxidizing agents Avoid storage above 90 F.

Keep containers closed when not in use.

Hazardous Decomposition Products: None. Hazardous Polymerization: Will not cour.

11. TOXICOLOGICAL INFORMATION

National Toxicology Program (NTP), or the International Agency for Research on

Cancer (IARC).

Mutagen No
Teratogen No
Reproductive Toxicity No

12. ECOLOGICAL INFORMATION

This product has not been evaluated, but there is no evidence to suggest it will cause any significant environmental problem.

13. DISPOSAL CONSIDERATIONS

Material Released or spilled: This product is not regulated under the Federal Resource Conservation and Recovery Act (RCRA) as a hazardous waste. State and/or local regulations may apply. Spill should be contained, absorbed with suitable absorbent material and placed in suitable containers for disposal in a licensed facility in accordance with Local, State and Federal laws. Do not discharge into waterways or sewer systems.

14. TRANSPORT INFORMATION - DOT (HM 181): Not required Shipping Labels: None required

15. REGULATORY INFORMATION

approval for direct or indirect contact with food.

EINECS (European Economic Community) All ingredients listed.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of the knowledge of Van Son Holland Ink Corporation of America. The data on this sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The hazards covered are believed to be those most likely to occur in the reasonable or ordinary use of these materials. Van Son Holland Ink Corporation of America assumes no legal responsibility for use or reliance on this data.